



### Description

**The Keyfob Model RC** is a battery operated, wireless remote control designed for basic operation of Videofied security systems.

The keyfob consists of four push buttons for system arming, disarming, panic alarms, and uses S<sup>2</sup>View<sup>®</sup> Spread Spectrum, Videofied, interactive, encrypted wireless circuitry for secure two-way communication with the control panel.

Operating the system with the keyfob can normally be done from within or just outside the premises and requires no access code entries. Pressing the ON button arms the whole system.

Pressing the OFF button disarms the system. Pressing the 1 or 2 buttons arms specific areas of the system as determined by system configuration/programming.

The keyfob generates a panic alarm when the 1 or 2 buttons are pressed and held for five seconds. 1-key is panic alarm with siren, 2-key is for silent panic alarm

The keyfob is powered by one 3V Lithium battery that will last approximately 10 years or more, depending on the amount of use. The keypad transmits the battery status with each activation.

### Features

- › S<sup>2</sup>View<sup>®</sup> - Spread Spectrum, Videofied, Interactive AES Encrypted Wireless technology provides optimum signal integrity and security.
- › Operate system from within or just outside premises.
- › Arming/Disarming - ON arms whole system; OFF disarms system; 1 and 2 buttons arm specific areas as determined by system configuration/programming.
- › Panic alarms - generated by pressing 1 or 2 button and hold for two seconds. 1= audible panic, 2= silent panic.
- › Lithium - battery status transmitted with each keyfob activation.
- › Lithium battery - up to 10 years.

### Applications

- › Basic operation of Videofied security systems.
- › Portable panic button, silent or audible.



*RC means RC600 for USA/Canada, RC700 for Australia/Singapore and RC200 for Europe and rest of the world.*



#### EMEA SALES

#### North American Headquarters